

Baler, hydraulic presse PAAL Pacomat V-80 C

Technical specification


Max. pressure:	75 tons	Year of production:	2014
Unit pressure:	75 tons/m ²	Number of strappings:	4 in vertical
Cross-section of the channel:	1000 x 750 mm	Filling inlet:	1400 x 920 mm
Bale weight:	500-700 kg	Weight:	ca. 13 tons
Supply:	400 V/ 45 kW - main motor	Bale tying:	automatic, wire

Efficiency on idle: max 670 m³ / h

Efficiency under load: 300 m³ / h

Theoretical efficiency with material in density 35 kg/m³ 10,5 tons/h

Theoretical efficiency with material in density 50 kg/m³ 14,3 tons/h




Dimensions in mm	A	B	C	D	E	G	H	I	K	L	M	N	O	P
PACOMAT V-80 C	9505	2090	4737	1600	3870	4670	4835	2537	397	750	3390	1020	872	1100



Zdjęcia poglądowe

Nasze instalacje



Masz pytania zadzwoń +48 33 816 01 69
Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artehnic.pl
www.belowniceuzywane.pl
biuro@artehnic.pl